



AquaNaut® Series
»» Suction Cleaners

THE ORIGINAL NO-CLOG SUCTION
CLEANING SOLUTION





**YOU DESERVE
SOME GOOD,
CLEAN FUN.**

TWO POWERFUL OPTIONS FOR AN END-TO-END CLEAN.

Featuring patented V-Flex® technology and exclusive 4-wheel drive capability, AquaNaut® suction cleaners are the first of their kind to clean corner to corner without clogging or getting stuck. They expertly navigate any surface while maintaining optimal suction, even when encountering tough obstacles and large debris. Plus, with two dependable options, there's a perfect solution for every pool.



AQUANAUT 250

Everything you need
and nothing you don't.



AQUANAUT 450

More wheels to cover
even more ground.

EXPERT LINE
ONLY FROM POOL PROS



Unrivalled performance. Unstoppable results.



4-WHEEL DRIVE CAPABILITY (450 ONLY)

Exclusive 4-wheel drive offers superior power, traction and stability for end-to-end cleaning in pools of all kinds.



EXPERTLY NAVIGATES ANY POOL SURFACE

Rugged tire treads provide superior climbing power and maneuverability on surfaces like concrete, gunite, vinyl, fiberglass, tile and pebble.



IDEAL FOR USE WITH VARIABLE-SPEED PUMPS

V-Flex technology ensures optimal suction at any flow, making AquaNaut the perfect partner for variable-speed pumps.



V-FLEX TECHNOLOGY features patented self-adjusting variable vanes that maximize power while virtually eliminating clogs, creating constant suction power—even at lower flow—and ensuring a complete clean every time.

Patented rugged tire treads

provide superior climbing power and maneuverability

Exclusive 4-wheel drive

provides a fast, complete clean (450 only)

Three easily interchangeable

throats improve suction performance and allow larger debris to pass



Multiple pre-programmed steering sequences

ensure end-to-end coverage, including walls

Advanced design

optimizes flow performance for use with variable-speed pumps

Patented adjustable roller skirt

never loses suction on uneven surfaces

AQUANAUT 450



SPECIFICATIONS

FEATURE	AQUANAUT® 250	AQUANAUT® 450
Part Number	PBS22CST	PBS42CST
Model Type	2-wheel drive	4-wheel drive
Pool Size	Up to 16' x 32'	Up to 20' x 40' and pools with deep ends
Hose Length	33'	40'
Pool Surface	Concrete, gunite, vinyl, fiberglass, tile, pebble*	Concrete, gunite, vinyl, fiberglass, tile, pebble*
Minimum Pump Size/Flow Rate	0.5 HP or 35 GPM	0.5 HP or 35 GPM
Drive Sequence	Turns every 8' to 10'	Turns every 11' to 14'

*Optional tape tires may be required for smoother surfaces.

THROAT OPTIONS (INCLUDED WITH ALL MODELS)



Small throat

- » For better suction with lower flow rate and smaller pump
- » Can use with variable-speed pump at lower speeds



Medium throat

- » Use for almost all average filtration systems and installations



Large throat

- » For better suction with higher flow rate and larger pump
- » Can use with variable-speed pump at higher speeds

» hayward.com » 1-888-HAYWARD

Pumps » Filters » Heaters » Cleaners » Sanitization » Automation » Lighting » Water Features » White Goods